

Red Leaf Learning Academy

14360 BELLAIRE BLVD STE 128
HOUSTON, TX

3 Inspection Visits Since 2025 · 5 Findings

Most recent inspection: Sep 5, 2025

● 5 Critical

Across 3 inspections since 2025, the issues cited most often were Floors, Ceilings and Walls in Good Repair and Clean (2), Safety - Areas Free From Hazards (2), and Hand Sanitizer - Only for Children 24 Months and Older (1). Of 5 total findings, 5 were critical.

Inspection Visits

Sep 5, 2025 1 Finding ● 1 Critical

● Floors, Ceilings and Walls in Good Repair and Clean
746.3407(9)

Aug 29, 2025 1 Finding ● 1 Critical

● Maintenance of Building, Grounds and Equipment
746.3407

Aug 4, 2025 3 Findings ● 3 Critical

● Hand Sanitizer - Only for Children 24 Months and Older
746.3420(1)

● Safety - Areas Free From Hazards
746.3701

● Safety - Electrical Outlets Covered
746.3701(1)

About this report

Childery generates this report from public inspection records published by the Texas Health and Human Services Commission. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Texas Health and Human Services Commission.