

This Little Piggy Academy

2716 ROBINSON DR
WACO, TX

4 Inspection Visits Since 2024 · 5 Findings

Most recent inspection: Dec 12, 2025



● 3 Critical ● 2 Important

Across 4 inspections since 2024, the issues cited most often were Installation and Maintenance of Loose-fill Surfacing - Six Inches if Equipment 5 Ft or Less (1), Food Allergy Emergency Plan Signed by Parents and Health Care Professional (1), and Written Activity Plan - Outline Daily Activities (1). Of 5 total findings, 3 were critical.

Inspection Visits

Dec 12, 2025 1 Finding ● 1 Critical

- **Installation and Maintenance of Loose-fill Surfacing - Six Inches if Equipment 5 Ft or Less**
746.4907(a)(1)

Nov 13, 2025 2 Findings ● 1 Critical ● 1 Important

- **Food Allergy Emergency Plan Signed by Parents and Health Care Professional**
746.3819

- **Written Activity Plan - Outline Daily Activities**
746.2205(a)(2)

Nov 25, 2024 1 Finding ● 1 Important

- **Provide Access to Children's Records - Parents**
746.601(b)

Nov 14, 2024 1 Finding ● 1 Critical

- **Posting Requirements - Emergency and Evacuation Relocation Diagram**
746.401(4)

About this report

Childery generates this report from public inspection records published by the Texas Health and Human Services Commission. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Texas Health and Human Services Commission.