

The Wiggle Room

1107 VISTA RD
PASADENA, TX

3 Inspection Visits Since 2024 · 3 Findings

Most recent inspection: Nov 1, 2024

● 3 Critical

Across 3 inspections since 2024, the issues cited most often were Installation and Maintenance of Loose-fill Surfacing - Proper Depth Maintained (1), Transportation Safety Training -Director and Employee Complete 2 Hours Annually (1), and Diaper Changing Equipment - Smooth, Non-absorbent, Easy to Clean Surface (1). Of 3 total findings, 3 were critical.

Inspection Visits

Nov 1, 2024 1 Finding ● 1 Critical

● **Installation and Maintenance of Loose-fill Surfacing - Proper Depth Maintained**
746.4907(d)

Oct 29, 2024 1 Finding ● 1 Critical

● **Transportation Safety Training -Director and Employee Complete 2 Hours Annually**
746.1316(a)

Oct 22, 2024 1 Finding ● 1 Critical

● **Diaper Changing Equipment - Smooth, Non-absorbent, Easy to Clean Surface**
746.3503(a)

About this report

Childery generates this report from public inspection records published by the Texas Health and Human Services Commission. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Texas Health and Human Services Commission.