

Tong Nguyen
6423 WILLOWSTONE TRL
ARLINGTON, TX

3 Inspection Visits Since 2024 · 5 Findings

Most recent inspection: May 18, 2026



● 1 Critical ● 4 Important

Across 3 inspections since 2024, the issues cited most often were Children's Records - Immunizations (3), Liability Insurance Requirements - If No Insurance Then Must Provide Written Proof Annually by Anniversary Date of Issuance (1), and Must Have at Least One 3A-40BC Dry Chemical Fire Extinguisher or Fire Extinguisher Approved by Fire Marshal (1). Of 5 total findings, 1 was critical.

Inspection Visits

May 18, 2026 1 Finding ● 1 Important

- **Liability Insurance Requirements - If No Insurance Then Must Provide Written Proof Annually by Anniversary Date of Issuance**
747.211(b)

Mar 27, 2025 3 Findings ● 3 Important

- **Children's Records - Admission Information**
747.603(a)(2)
- **Children's Records - Health Statement**
747.603(a)(3)
- **Children's Records - Immunizations**
747.603(a)(4)

Mar 5, 2024 1 Finding ● 1 Critical

- **Must Have at Least One 3A-40BC Dry Chemical Fire Extinguisher or Fire Extinguisher Approved by Fire Marshal**
747.5103

About this report

Childery generates this report from public inspection records published by the Texas Health and Human Services Commission. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Texas Health and Human Services Commission.