

Brainy Bees Childcare Center

15633 WESTPARK DR STE 100
HOUSTON, TX

5 Inspection Visits Since 2025 - 5 Findings

Most recent inspection: Feb 3, 2026



● 4 Critical ● 1 Important

Across 5 inspections since 2025, the issues cited most often were Maintenance Procedures for Active Play - Hazards Removed or Repaired (1), Required Equipment in Vehicles - Fire Extinguisher (1), and Infant Care Area Furnishings and Equipment -Use of Safety Straps (1). Of 5 total findings, 4 were critical.

Inspection Visits

Feb 3, 2026 1 Finding ● 1 Critical

- **Maintenance Procedures for Active Play - Hazards Removed or Repaired**
746.4751(c)

Jan 30, 2026 1 Finding ● 1 Critical

- **Required Equipment in Vehicles - Fire Extinguisher**
746.5617(a)(5)

Jan 20, 2026 1 Finding ● 1 Critical

- **Infant Care Area Furnishings and Equipment -Use of Safety Straps**
746.2407

Sep 2, 2025 1 Finding ● 1 Critical

- **Annual Fire Inspection - Conducted by Fire Marshal**
746.5101(b)

Aug 19, 2025 1 Finding ● 1 Important

About this report

Childery generates this report from public inspection records published by the Texas Health and Human Services Commission. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Texas Health and Human Services Commission.

- **Licensing Incident/Illness Report Form - Situations Placing Children at Risk**
746.701(5)

About this report

Childery generates this report from public inspection records published by the Texas Health and Human Services Commission. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Texas Health and Human Services Commission.