

## Crystal Montessori

5446 N MESA ST STE F  
EL PASO, TX

### 3 Inspection Visits Since 2023 · 4 Findings

Most recent inspection: Dec 12, 2025

● 2 Critical ● 2 Important

Across 3 inspections since 2023, the issues cited most often were Requirements for Swings - Not Attached to a Composite Structure (1), Director Annual Training 30 Hours Required (1), and Documented Annual Training Area - 24 Hours Required (1). Of 4 total findings, 2 were critical.

### Inspection Visits

**Dec 12, 2025** 1 Finding ● 1 Critical

- **Requirements for Swings - Not Attached to a Composite Structure**  
746.4701(c)

**Feb 23, 2024** 2 Findings ● 2 Important

- **Documented Annual Training Area - 24 Hours Required**  
746.1309(a)
- **Director Annual Training 30 Hours Required**  
746.1311(a)

**Sep 1, 2023** 1 Finding ● 1 Critical

- **Annual Fire Inspection - Conducted by Fire Marshal**  
746.5101(b)

#### About this report

Childery generates this report from public inspection records published by the Texas Health and Human Services Commission. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Texas Health and Human Services Commission.