

Temeka Patterson

526 LAKESIDE DR
DUNCANVILLE, TX

1 Inspection Visit Since 2023 · 5 Findings

Most recent inspection: Dec 18, 2023



● 4 Critical ● 1 Important

Across 1 inspection since 2023, the issues cited most often were Orientation Requirements for Caregivers-Fire Extinguisher/First Aid (1), Fire Extinguishers Serviced (1), and Emergency Evacuation and Relocation Diagram- Must Be On File (1). Of 5 total findings, 4 were critical.

Inspection Visits

Dec 18, 2023 5 Findings ● 4 Critical ● 1 Important

● **Orientation Requirements for Caregivers-Fire Extinguisher/First Aid**

747.1301(5)

● **Emergency Evacuation and Relocation Diagram- Must Be On File**

747.5007

● **Written Operational Policies - Safe Sleep for Infants**

747.501(6)

● **Fire Extinguishers Serviced**

747.5107(b)

● **Primary Caregiver Annual Training - Required Special Topics Without Specific Hours**

747.1309(d)

About this report

Childery generates this report from public inspection records published by the Texas Health and Human Services Commission. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Texas Health and Human Services Commission.