

The Learning House

1901 E ROSEBUD AVE
VICTORIA, TX

2 Inspection Visits Since 2025 · 5 Findings

Most recent inspection: Jan 5, 2026



● 3 Critical ● 2 Important

Across 2 inspections since 2025, the issues cited most often were Safety Requirements for Play Yards - Snug Fitting, Firm, Flat Mattress Designed for Use in Play Yard and No Extra Pads (1), Policies Comply with Rules (1), and First Aid Kit Incomplete -Thermometer, Preferably Non-glass (1). Of 5 total findings, 3 were critical.

Inspection Visits

Jan 5, 2026 1 Finding ● 1 Critical

- **Safety Requirements for Play Yards - Snug Fitting, Firm, Flat Mattress Designed for Use in Play Yard and No Extra Pads**
747.2311(2)(A)

Sep 12, 2025 4 Findings ● 2 Critical ● 2 Important

- **Policies Comply with Rules**
747.207(1)
- **Sanitation of Building, Grounds and Equipment**
747.3203
- **Animals at Center - Statement of Health From Veterinarian**
747.3703(b)
- **First Aid Kit Incomplete -Thermometer, Preferably Non-glass**
747.3803(a)(7)

About this report

Childery generates this report from public inspection records published by the Texas Health and Human Services Commission. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Texas Health and Human Services Commission.