

JumpStart Preschool

1702 CHIHUAHUA ST
LAREDO, TX

3 Inspection Visits Since 2024 · 5 Findings

Most recent inspection: May 27, 2025

● 5 Critical

Across 3 inspections since 2024, the issues cited most often were Infant May Not Sleep in a Restrictive Device (1), Annual Fire Inspection - Before Initial Permit Issued and Every 12 Months (1), and Fire Extinguishers Serviced (1). Of 5 total findings, 5 were critical.

Inspection Visits

May 27, 2025 1 Finding ● 1 Critical

● **Infant May Not Sleep in a Restrictive Device**
746.2426(a)(1)

Nov 15, 2024 3 Findings ● 3 Critical

● **Annual Sanitation Inspection**
746.3401(a)

● **Annual Fire Inspection - Before Initial Permit Issued and Every 12 Months**
746.5101(a)

● **Fire Extinguishers Serviced**
746.5307(b)

Nov 8, 2024 1 Finding ● 1 Critical

● **Required Equipment in Vehicles - List of Children**
746.5617(a)(1)

About this report

Childery generates this report from public inspection records published by the Texas Health and Human Services Commission. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Texas Health and Human Services Commission.