

Kiddie Klubhouse Learning Academy

1708 SE MARTIN LUTHER KING JR
MINERAL WELLS, TX

2 Inspection Visits Since 2025 · 5 Findings

Most recent inspection: Nov 21, 2025

● 5 Critical

Across 2 inspections since 2025, the issues cited most often were Infant May Not Sleep in a Restrictive Device (1), Medication Authorization - By Telephone if for a Single Dose (1), and Safety Requirements for Sprinkler Play - Not Used On or Near Hard, Slippery Surface (1). Of 5 total findings, 5 were critical.

Inspection Visits

Nov 21, 2025 2 Findings ● 2 Critical

● **Infant May Not Sleep in a Restrictive Device**

746.2426(a)(1)

● **Medication Authorization - By Telephone if for a Single Dose**

746.3803(a)(3)

Aug 19, 2025 3 Findings ● 3 Critical

● **Fenced Outdoor Activity Space**

746.4305

● **No Asphalt or Concrete Under Climbing Equipment Unless Unitary Surfacing Covers Use Zone**

746.4601(8)

● **Safety Requirements for Sprinkler Play - Not Used On or Near Hard, Slippery Surface**

746.5015(a)

About this report

Childery generates this report from public inspection records published by the Texas Health and Human Services Commission. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Texas Health and Human Services Commission.