

Xplor

3153 S STONEBRIDGE DR
MCKINNEY, TX

3 Inspection Visits Since 2024 · 5 Findings

Most recent inspection: Jun 25, 2025



● 4 Critical ● 1 Important

Across 3 inspections since 2024, the issues cited most often were Each Caregiver and the Director Must Have Current Training in Pediatric First Aid with Rescue Breathing and Choking. (2), Arrangement of Napping Equipment - Not Blocking Entrances or Exits (1), and Transportation Safety Training -Director and Employee Complete 2 Hours Annually (1). Of 5 total findings, 4 were critical.

Inspection Visits

Jun 25, 2025 1 Finding ● 1 Critical

- **Arrangement of Napping Equipment - Not Blocking Entrances or Exits**
746.2909(1)

May 9, 2025 3 Findings ● 3 Critical

- **Each Caregiver and the Director Must Have Current Training in Pediatric First Aid with Rescue Breathing and Choking.**
746.1315(a)
- **Each Caregiver and the Director Must Have Current Training in Pediatric CPR**
746.1315(b)
- **Transportation Safety Training -Director and Employee Complete 2 Hours Annually**
746.1316(a)

Nov 20, 2024 1 Finding ● 1 Important

- **Required Records Maintained and Made Available - Director's Certificate**
746.801(4)

About this report

Childery generates this report from public inspection records published by the Texas Health and Human Services Commission. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Texas Health and Human Services Commission.