

Darlene Medrano

1091 N ROOSEVELT ST
PEARSALL, TX

2 Inspection Visits Since 2025 · 5 Findings

Most recent inspection: Aug 8, 2025

● 5 Critical

Across 2 inspections since 2025, the issues cited most often were Safety Requirements for Wading Pools - Stored So Do Not Hold Water (2), Diaper Changing Equipment - Smooth, Non-absorbent, Easy to Clean Surface (1), and Fenced Outdoor Activity Space (1). Of 5 total findings, 5 were critical.

Inspection Visits

Aug 8, 2025 1 Finding ● 1 Critical

● **Diaper Changing Equipment - Smooth, Non-absorbent, Easy to Clean Surface**
747.3303(a)(1)

Aug 4, 2025 4 Findings ● 4 Critical

● **Children Handwashing After Toileting or Diapering**
747.3213(3)

● **Fenced Outdoor Activity Space**
747.4105

● **Safety Requirements for Wading Pools - Stored Out of Children's Reach**
747.4813(a)(1)

● **Safety Requirements for Wading Pools - Stored So Do Not Hold Water**
747.4813(a)(3)

About this report

Childery generates this report from public inspection records published by the Texas Health and Human Services Commission. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Texas Health and Human Services Commission.