

Austin Peace Academy

5110 MANOR RD
AUSTIN, TX

3 Inspection Visits Since 2025 · 5 Findings

Most recent inspection: Apr 27, 2026



● 3 Critical ● 2 Important

Across 3 inspections since 2025, the issues cited most often were Required Personnel Records -Training Hours (1), Each Caregiver and the Director Must Have Current Training in Pediatric CPR (1), and Active Play Surfacing In Use Zones - Loose Fill or Unitary Surfacing (1). Of 5 total findings, 3 were critical.

Inspection Visits

Apr 27, 2026 3 Findings ● 2 Critical ● 1 Important

● **Each Caregiver and the Director Must Have Current Training in Pediatric CPR**

746.1315(b)

● **Active Play Surfacing In Use Zones - Loose Fill or Unitary Surfacing**

746.4901(a)

● **Required Personnel Records -Training Hours**

746.901(6)

Apr 3, 2026 1 Finding ● 1 Important

● **Maintenance Procedures for Active Play - Monthly Maintenance Checklist**

746.4751(b)

May 29, 2025 1 Finding ● 1 Critical

● **Annual Fire Inspection - Conducted by Fire Marshal**

746.5101(b)

About this report

Childery generates this report from public inspection records published by the Texas Health and Human Services Commission. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Texas Health and Human Services Commission.