

Maria Munoz

15331 HOUSE WREN WAY
SAN ANTONIO, TX

2 Inspection Visits Since 2024 · 4 Findings

Most recent inspection: Dec 18, 2025



● 3 Critical ● 1 Important

Across 2 inspections since 2024, the issues cited most often were Safety - Areas Free From Hazards (1), Notification of Change in Age Range of Children In Care (1), and Written Operational Policies - Procedures Parents Access Minimum Standards Online, TX A/N Hotline, and HHSC Website (1). Of 4 total findings, 3 were critical.

Inspection Visits

Dec 18, 2025 2 Findings ● 2 Critical

● **Notification of Change in Age Range of Children In Care**
747.301(4)

● **Safety - Areas Free From Hazards**
747.3501

Oct 8, 2024 2 Findings ● 1 Critical ● 1 Important

● **Must Have at Least One 3A-40BC Dry Chemical Fire Extinguisher or Fire Extinguisher Approved by Fire Marshal**
747.5103

● **Written Operational Policies - Procedures Parents Access Minimum Standards Online, TX A/N Hotline, and HHSC Website**
747.501(10)

About this report

Childery generates this report from public inspection records published by the Texas Health and Human Services Commission. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Texas Health and Human Services Commission.