

Sunny Glen Childrens Home TX

3 Inspection Visits Since 2025 · 5 Findings

Most recent inspection: Sep 11, 2025



● 4 Critical ● 1 Administrative

Across 3 inspections since 2025, the issues cited most often were Swings-Child Under 4 Yrs Old May Use Bucket Swing if Adult Lifts & Secures Child Into Swing; Bucket Swing Must Be 24 Inches From Protective Surfacing (1), Use Zone-Use Zones for Stationary Equipment Must Not Overlap the Use Zones of Any Other Equipment (1), and Use Zone-For Rocking & Rotating Equipment Must Not Overlap Any Other Use Zone (1). Of 5 total findings, 4 were critical.

Inspection Visits

Sep 11, 2025 3 Findings ● 3 Critical

- **Swings-Child Under 4 Yrs Old May Use Bucket Swing if Adult Lifts & Secures Child Into Swing; Bucket Swing Must Be 24 Inches From Protective Surfacing**
748.3477(d)
- **Use Zone-Use Zones for Stationary Equipment Must Not Overlap the Use Zones of Any Other Equipment**
748.3523(b)
- **Use Zone-For Rocking & Rotating Equipment Must Not Overlap Any Other Use Zone**
748.3533(c)

May 6, 2025 1 Finding ● 1 Administrative

- **Preliminary Service Plan-Complete Plan That Addresses Child's Immediate Needs Within 72 Hours of Admission**
748.1331(a)

Apr 30, 2025 1 Finding ● 1 Critical

- **Care Requirements for Infants- Items Necessary for Diaper Changing Must Be Kept Out of Reach of Children**
748.1743(e)

About this report

Childery generates this report from public inspection records published by the Texas Health and Human Services Commission. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Texas Health and Human Services Commission.