

DAN LE

17815 RIATA CANYON CT
CYPRESS, TX

2 Inspection Visits Since 2023 · 5 Findings

Most recent inspection: Nov 11, 2024



● 4 Critical ● 1 Important

Across 2 inspections since 2023, the issues cited most often were Pediatric First-Aid and Pediatric CPR Training -Skill Based and Hands On (2), CO Detection System Type-Individual (UL) Listed Plug In, Hardwire, Battery (1), and Written Operational Policies - Release of Children (1). Of 5 total findings, 4 were critical.

Inspection Visits

Nov 11, 2024 2 Findings ● 2 Critical

● **Pediatric First-Aid and Pediatric CPR Training - Primary, Assistant, and Substitute Caregivers**
747.1313(a)

● **Pediatric First-Aid and Pediatric CPR Training -Skill Based and Hands On**
747.1313(b)

Sep 5, 2023 3 Findings ● 2 Critical ● 1 Important

● **Mounting of Fire Extinguishers**
747.5105

● **CO Detection System Type-Individual (UL) Listed Plug In, Hardwire, Battery**
747.5333(1)

● **Written Operational Policies - Release of Children**
747.501(1)

About this report

Childery generates this report from public inspection records published by the Texas Health and Human Services Commission. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Texas Health and Human Services Commission.