

Houston Heights DC Center

902 W 8TH ST
HOUSTON, TX

2 Inspection Visits Since 2024 - 5 Findings

Most recent inspection: Sep 12, 2024



● 4 Critical ● 1 Important

Across 2 inspections since 2024, the issues cited most often were Each Caregiver and the Director Must Have Current Training in Pediatric CPR (2), Requirement of Gas Leak Inspection (1), and Written Operational Policies - Promotion of Physical Activity (1). Of 5 total findings, 4 were critical.

Inspection Visits

Sep 12, 2024 2 Findings ● 2 Critical

- **Each Caregiver and the Director Must Have Current Training in Pediatric First Aid with Rescue Breathing and Choking.**
746.1315(a)
- **Each Caregiver and the Director Must Have Current Training in Pediatric CPR**
746.1315(b)

Sep 5, 2024 3 Findings ● 2 Critical ● 1 Important

- **Emergency Preparedness Plan - Communication Procedures**
746.5202(2)
- **Requirement of Gas Leak Inspection**
746.5401
- **Written Operational Policies - Promotion of Physical Activity**
746.501(a)(18)

About this report

Childery generates this report from public inspection records published by the Texas Health and Human Services Commission. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Texas Health and Human Services Commission.