


Mary Le

7130 WINKLEMAN RD

HOUSTON, TX

2 Inspection Visits Since 2024 · 4 Findings

Most recent inspection: Oct 25, 2024



Across 2 inspections since 2024, the issues cited most often were Children's Records - Admission Information (1), Primary Caregiver in Registered Home Qualifications - Pediatric First-aid and Pediatric CPR (1), and Registered or Licensed Child-Care Home Must Be Equipped with a Working Carbon Monoxide (CO) Detection System, Unless Located in a School Facility (1). Of 4 total findings, 3 were critical.

Inspection Visits

Oct 25, 2024

2 Findings

1 Critical

1 Important

Primary Caregiver in Registered Home Qualifications - Pediatric First-aid and Pediatric CPR

747.1007(5)

Children's Records - Admission Information

747.603(a)(2)

Oct 18, 2024

2 Findings

2 Critical

Smoke-Detection System

747.5111

Registered or Licensed Child-Care Home Must Be Equipped with a Working Carbon Monoxide (CO) Detection System, Unless Located in a School Facility

747.5331

About this report

Childery generates this report from public inspection records published by the Texas Health and Human Services Commission. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Texas Health and Human Services Commission.