

Jumping Jacks Learning Center

5214 BOYNTON DR
HOUSTON, TX

4 Inspection Visits Since 2024 · 5 Findings

Most recent inspection: Jun 4, 2025

● 5 Critical

Across 4 inspections since 2024, the issues cited most often were Safety - Poisonous Plants Inaccessible to Children (1), Documentation of Fire Inspection (1), and Infant May Not Sleep in a Restrictive Device (1). Of 5 total findings, 5 were critical.

Inspection Visits

Jun 4, 2025 1 Finding ● 1 Critical

● **Safety - Poisonous Plants Inaccessible to Children**
746.3701(6)

Mar 28, 2025 1 Finding ● 1 Critical

● **Documentation of Fire Inspection**
746.5103

Mar 14, 2025 2 Findings ● 2 Critical

● **Child/ Caregiver Ratio - 13 or More Children**
746.1601

● **Infant May Not Sleep in a Restrictive Device**
746.2426(a)(1)

Dec 2, 2024 1 Finding ● 1 Critical

● **Floors, Ceilings and Walls in Good Repair and Clean**
746.3407(9)

About this report

Childery generates this report from public inspection records published by the Texas Health and Human Services Commission. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Texas Health and Human Services Commission.