

Spring Brainiacs

21626 ALDINE WESTFIELD RD
HUMBLE, TX

4 Inspection Visits Since 2024 · 5 Findings

Most recent inspection: Jan 24, 2025



● 2 Critical ● 3 Important

Across 4 inspections since 2024, the issues cited most often were Children's Records - Health Statement (1), Required Admission Information - Emergency Medical Authorization (1), and Electronic Child Safety Alarm - Installed and Maintained According to Manufacturer's Instructions (1). Of 5 total findings, 2 were critical.

Inspection Visits

Jan 24, 2025 1 Finding ● 1 Important

● **Children's Records - Health Statement**
746.603(a)(3)

Jan 17, 2025 1 Finding ● 1 Critical

● **Required Admission Information - Emergency Medical Authorization**
746.605(11)

Mar 5, 2024 1 Finding ● 1 Critical

● **Electronic Child Safety Alarm - Installed and Maintained According to Manufacturer's Instructions**
746.5625(b)

Feb 23, 2024 2 Findings ● 2 Important

● **First Aid Kit - Supplies Not Expired**
746.4003(b)

● **Written Operational Policies - Emergencies**
746.501(a)(5)

About this report

Childery generates this report from public inspection records published by the Texas Health and Human Services Commission. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Texas Health and Human Services Commission.