

AlphaBEST @ Roanoke - Northwest

1401 LANCELOT DR
ROANOKE, TX

5 Inspection Visits Since 2025 · 5 Findings

Most recent inspection: Feb 18, 2026

● 5 Critical

Across 5 inspections since 2025, the issues cited most often were Designating Director (1), Responsibilities of Employees and Caregivers - Demonstrate Competency, Good Judgment, Self-control (1), and Prohibited Equipment - Trampolines - Except if Less Than 4 Feet, 12 Inches or Less Above Resilient Material (1). Of 5 total findings, 5 were critical.

Inspection Visits

Feb 18, 2026 1 Finding ● 1 Critical

● **Designating Director**
744.201(4)

Aug 19, 2025 1 Finding ● 1 Critical

● **Responsibilities of Employees and Caregivers - Demonstrate Competency, Good Judgment, Self-control**
744.1201(1)

Aug 5, 2025 1 Finding ● 1 Critical

● **Prohibited Equipment - Trampolines - Except if Less Than 4 Feet, 12 Inches or Less Above Resilient Material**
744.3105(a)(3)

Jul 25, 2025 1 Finding ● 1 Critical

● **Planned Activities Designed to Meet Special Care needs-Accommodations**
744.2009(1)

About this report

Childery generates this report from public inspection records published by the Texas Health and Human Services Commission. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Texas Health and Human Services Commission.

Jul 11, 2025 1 Finding  1 Critical

- **Supervision Ensures Each Child?s Safety, Well-being, Including Physical Proximity and Auditory or Visual Awareness of Each Child?s on Going Activity**

744.1205(a)(4)

About this report

Childery generates this report from public inspection records published by the Texas Health and Human Services Commission. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Texas Health and Human Services Commission.