

EduFun Learning Center, LLC

213 PLANTATION DR
LAKE JACKSON, TX

1 Inspection Visit Since 2025 · 5 Findings

Most recent inspection: Apr 10, 2025

● 5 Critical

Across 1 inspection since 2025, the issues cited most often were Safety Requirements for Play Yards - Snug Fitting, Firm, Flat Mattress Designed for Use in Play Yard and No Extra Pads (2), Report Change in Director (1), and Employee Handwashing After Diapering a Child (1). Of 5 total findings, 5 were critical.

Inspection Visits

Apr 10, 2025 5 Findings ● 5 Critical

● **Director present-Minimum 75%**

746.1011(a)

● **Safety Requirements for Play Yards - Snug Fitting, Firm, Flat Mattress Designed for Use in Play Yard and No Extra Pads**

746.2411(2)(A)

● **Safety Requirements for Play Yards - Secure Supports**

746.2411(2)(D)

● **Report Change in Director**

746.303(a)(4)

● **Employee Handwashing After Diapering a Child**

746.3415(4)

About this report

Childery generates this report from public inspection records published by the Texas Health and Human Services Commission. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Texas Health and Human Services Commission.