

Kerrville's Bright Beginnings

551 MEADOWVIEW LN
KERRVILLE, TX

2 Inspection Visits Since 2025 · 5 Findings

Most recent inspection: Jan 16, 2026



● 4 Critical ● 1 Important

Across 2 inspections since 2025, the issues cited most often were Annual Sanitation Inspection (1), Garbage Inaccessible to Children; Maintained in Sanitary Manner (1), and Safety Requirements for Active Play Equipment - Anchoring Devices Below Level of Playing Surface (1). Of 5 total findings, 4 were critical.

Inspection Visits

Jan 16, 2026 1 Finding ● 1 Critical

- **Annual Sanitation Inspection**
746.3401(a)

Oct 3, 2025 4 Findings ● 3 Critical ● 1 Important

- **Garbage Inaccessible to Children; Maintained in Sanitary Manner**
746.3407(8)
- **Safety - Play Materials and Equipment Safe**
746.3701(5)
- **Safety Requirements for Active Play Equipment - Anchoring Devices Below Level of Playing Surface**
746.4601(6)
- **Animals at Center - Statement of Health From Veterinarian**
746.3903(b)

About this report

Childery generates this report from public inspection records published by the Texas Health and Human Services Commission. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Texas Health and Human Services Commission.