

Uphaus YMCA

5200 FREIDRICH LN
AUSTIN, TX

4 Inspection Visits Since 2024 · 4 Findings

Most recent inspection: Jan 28, 2025

● 2 Critical ● 2 Important

Across 4 inspections since 2024, the issues cited most often were Required Records Maintained and Made Available - Safety Documentation for Emergency Drills, Fire Extinguishers, and Smoke Detectors (1), Food Allergy Plan-Emergency Plan for Diagnosed Child, Signed by Health Care Professional and Parent (1), and Posting Requirements - Daily Menu, Including All Snacks and Meals Prepared or Served (1). Of 4 total findings, 2 were critical.

Inspection Visits

Jan 28, 2025 1 Finding ● 1 Important

● Required Records Maintained and Made Available - Safety Documentation for Emergency Drills, Fire Extinguishers, and Smoke Detectors

744.801(9)

Feb 29, 2024 1 Finding ● 1 Critical

● Food Allergy Plan-Emergency Plan for Diagnosed Child, Signed by Health Care Professional and Parent

744.2669

Feb 20, 2024 1 Finding ● 1 Important

● Posting Requirements - Daily Menu, Including All Snacks and Meals Prepared or Served

744.401(6)

Feb 19, 2024 1 Finding ● 1 Critical

● Required Admission Information-Food Allergy Emergency Plan

744.605(16)

About this report

Childery generates this report from public inspection records published by the Texas Health and Human Services Commission. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Texas Health and Human Services Commission.