

Unique Avenue

10510 ROCKAWAY DR
HOUSTON, TX

4 Inspection Visits Since 2024 - 4 Findings

Most recent inspection: Oct 24, 2025



● 3 Critical ● 1 Administrative

Across 4 inspections since 2024, the issues cited most often were Evacuation-Emergency Evacuation & Relocation Diagram Must Include Designated Location Outside Operation Where All Caregivers & Children Meet (1), Gas Inspection-Must Keep Most Recent Inspection Report at Operation to Verify Inspection Date & Findings (1), and Other Prohibited Punishments-subjecting a Child to Abusive or Profane Language (1). Of 4 total findings, 3 were critical.

Inspection Visits

Oct 24, 2025 1 Finding ● 1 Critical

● **Evacuation-Emergency Evacuation & Relocation Diagram Must Include Designated Location Outside Operation Where All Caregivers & Children Meet**

748.3233(b)(2)

Aug 8, 2025 1 Finding ● 1 Administrative

● **Gas Inspection-Must Keep Most Recent Inspection Report at Operation to Verify Inspection Date & Findings**

748.3065(b)

Jul 7, 2025 1 Finding ● 1 Critical

● **Other Prohibited Punishments-subjecting a Child to Abusive or Profane Language**

748.2307(9)

Feb 21, 2024 1 Finding ● 1 Critical

● **Caregiver Responsibility - Providing the Level of Supervision Necessary to Ensure Each Child's Safety and Well-being**

748.685(a)(4)

About this report

Childery generates this report from public inspection records published by the Texas Health and Human Services Commission. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Texas Health and Human Services Commission.

About this report

Childery generates this report from public inspection records published by the Texas Health and Human Services Commission. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Texas Health and Human Services Commission.