

Just Like Home

11703 PEBBLE SANDS DR
TOMBALL, TX

4 Inspection Visits Since 2026 · 5 Findings

Most recent inspection: Feb 27, 2026



● 3 Critical ● 2 Important

Across 4 inspections since 2026, the issues cited most often were Records Maintained and Made Available - Safety Drills Documentation (1), Must Have at Least One 3A-40BC Dry Chemical Fire Extinguisher or Fire Extinguisher Approved by Fire Marshal (1), and Children Handwashing After Toileting or Diapering (1). Of 5 total findings, 3 were critical.

Inspection Visits

Feb 27, 2026 2 Findings ● 1 Critical ● 1 Important

● **Must Have at Least One 3A-40BC Dry Chemical Fire Extinguisher or Fire Extinguisher Approved by Fire Marshal**
747.5103

● **Records Maintained and Made Available - Safety Drills Documentation**
747.801(7)

Feb 23, 2026 1 Finding ● 1 Critical

● **Children Handwashing After Toileting or Diapering**
747.3213(3)

Feb 20, 2026 1 Finding ● 1 Important

● **Required Admission Information - Physician Information**
747.605(10)

Feb 13, 2026 1 Finding ● 1 Critical

● **Prohibited Punishments - Associated with Food, Naps, or Toilet Training**
747.2705(2)

About this report

Childery generates this report from public inspection records published by the Texas Health and Human Services Commission. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Texas Health and Human Services Commission.

About this report

Childery generates this report from public inspection records published by the Texas Health and Human Services Commission. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Texas Health and Human Services Commission.