

Westchase Academy

10085 WESTPARK DR STE D
HOUSTON, TX

4 Inspection Visits Since 2024 · 5 Findings

Most recent inspection: Nov 10, 2025



● 3 Critical ● 1 Important ● 1 Administrative

Across 4 inspections since 2024, the issues cited most often were Annual Fire Inspection - Conducted by Fire Marshal (1), Report Number of Employees (1), and Maintenance Procedures for Active Play - Hazards Removed or Repaired (1). Of 5 total findings, 3 were critical.

Inspection Visits

Nov 10, 2025 1 Finding ● 1 Critical

- **Annual Fire Inspection - Conducted by Fire Marshal**
746.5101(b)

Jan 30, 2025 1 Finding ● 1 Administrative

- **Report Number of Employees**
746.303(b)

Dec 10, 2024 2 Findings ● 2 Critical

- **Floors, Ceilings and Walls in Good Repair and Clean**
746.3407(9)
- **Maintenance Procedures for Active Play - Hazards Removed or Repaired**
746.4751(c)

Nov 26, 2024 1 Finding ● 1 Important

- **Screen Time Activities - Off When Not in Use**
746.2207(c)(6)

About this report

Childery generates this report from public inspection records published by the Texas Health and Human Services Commission. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Texas Health and Human Services Commission.