

Meadow Oaks Academy Inc.

1412 S BELT LINE RD
MESQUITE, TX

3 Inspection Visits Since 2024 · 5 Findings

Most recent inspection: May 15, 2025

● 5 Critical

Across 3 inspections since 2024, the issues cited most often were Report Situation Placing Children at Risk (2), Installation and Maintenance of Loose-fill Surfacing - Proper Depth Maintained (1), and AP Renewal Background Checks Submitted -No Later Than 5 Yrs From Date Last Submitted Subjects Initial or Renewal Fingerprint-based Criminal Hist Check (1). Of 5 total findings, 5 were critical.

Inspection Visits

May 15, 2025 1 Finding ● 1 Critical

● **Installation and Maintenance of Loose-fill Surfacing - Proper Depth Maintained**
746.4907(d)

Feb 24, 2025 1 Finding ● 1 Critical

● **Report Situation Placing Children at Risk**
746.305(a)(6)

Jul 26, 2024 3 Findings ● 3 Critical

● **AP Renewal Background Checks Submitted -No Later Than 5 Yrs From Date Last Submitted Subjects Initial or Renewal Fingerprint-based Criminal Hist Check**
745.621(b)(1)(A)

● **Report Situation Placing Children at Risk**
746.305(a)(6)

● **Swimming Pools - Area Clear to Prevent Unsupervised Access**
746.5001(9)

About this report

Childery generates this report from public inspection records published by the Texas Health and Human Services Commission. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Texas Health and Human Services Commission.