

## Maria A. Suarez

11727 PADDLEBROOK  
SAN ANTONIO, TX

### 1 Inspection Visit Since 2026 · 3 Findings

Most recent inspection: Mar 17, 2026

● 3 Critical

Across 1 inspection since 2026, the issues cited most often were Measurement of Use Zone for Slides- Six Feet High or Less (1), Food Service and Preparation - Use Sanitary Holders (1), and Supervision Ensures Each Child?s Safety, Well-being, Including Physical Proximity and Auditory or Visual Awareness of Each Child?s on Going Activity (1). Of 3 total findings, 3 were critical.

### Inspection Visits

**Mar 17, 2026** 3 Findings ● 3 Critical

● **Supervision Ensures Each Child?s Safety, Well-being, Including Physical Proximity and Auditory or Visual Awareness of Each Child?s on Going Activity**

747.1503(a)(4)

● **Food Service and Preparation - Use Sanitary Holders**

747.3117(5)

● **Measurement of Use Zone for Slides- Six Feet High or Less**

747.4605(b)

#### About this report

Childery generates this report from public inspection records published by the Texas Health and Human Services Commission. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Texas Health and Human Services Commission.