

The Learning Experience

30251 LOOP 494 STE 14
KINGWOOD, TX

3 Inspection Visits Since 2023 · 5 Findings

Most recent inspection: Mar 17, 2026

● 5 Critical

Across 3 inspections since 2023, the issues cited most often were Infant Care Area - Space to Walk Between Cribs, Cots or Mats (4) and AP Background Check Results - Must Receive Notification Prior to Allowing Subject to Be Present at Your Operation (1). Of 5 total findings, 5 were critical.

Inspection Visits

Mar 17, 2026 1 Finding ● 1 Critical

- **AP Background Check Results - Must Receive Notification Prior to Allowing Subject to Be Present at Your Operation**
745.641

Sep 2, 2025 2 Findings ● 2 Critical

- **Infant Care Area - Crib Placement**
746.2403(4)
- **Infant Care Area - Space to Walk Between Cribs, Cots or Mats**
746.2403(5)

Oct 16, 2023 2 Findings ● 2 Critical

- **Infant Care Area - Crib Placement**
746.2403(4)
- **Infant Care Area - Space to Walk Between Cribs, Cots or Mats**
746.2403(5)

About this report

Childery generates this report from public inspection records published by the Texas Health and Human Services Commission. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Texas Health and Human Services Commission.