

Spring Branch Presbyterian Academy

1215 CAMPBELL RD
HOUSTON, TX

3 Inspection Visits Since 2025 - 5 Findings

Most recent inspection: Feb 4, 2026

● 5 Critical

Across 3 inspections since 2025, the issues cited most often were Each Caregiver and the Director Must Have Current Training in Pediatric CPR (2), Infant May Not Sleep in a Restrictive Device (1), and Installation and Maintenance of Loose-fill Surfacing - Nine Inches if Equipment Greater Than 5 Ft. (1). Of 5 total findings, 5 were critical.

Inspection Visits

Feb 4, 2026 1 Finding ● 1 Critical

● **Infant May Not Sleep in a Restrictive Device**

746.2426(a)(1)

Jul 15, 2025 1 Finding ● 1 Critical

● **Installation and Maintenance of Loose-fill Surfacing - Nine Inches if Equipment Greater Than 5 Ft.**

746.4907(a)(2)

Jun 20, 2025 3 Findings ● 3 Critical

● **Each Caregiver and the Director Must Have Current Training in Pediatric First Aid with Rescue Breathing and Choking.**

746.1315(a)

● **Each Caregiver and the Director Must Have Current Training in Pediatric CPR**

746.1315(b)

● **Annual Sanitation Inspection**

746.3401(a)

About this report

Childery generates this report from public inspection records published by the Texas Health and Human Services Commission. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Texas Health and Human Services Commission.