

AMA YMCA @ Webb Elementary

1200 N COOPER ST
ARLINGTON, TX

4 Inspection Visits Since 2024 · 5 Findings

Most recent inspection: Feb 13, 2025



● 2 Critical ● 3 Important

Across 4 inspections since 2024, the issues cited most often were Required Personnel Records (1), Each Caregiver, Operation Director, Program Director, and Site Director Pediatric CPR (1), and Documentation of Drills (1). Of 5 total findings, 2 were critical.

Inspection Visits

Feb 13, 2025 2 Findings ● 1 Critical ● 1 Important

● **Each Caregiver, Operation Director, Program Director, and Site Director Pediatric CPR**
744.1315(b)

● **Required Personnel Records**
744.901

Feb 5, 2025 1 Finding ● 1 Important

● **Documentation of Drills**
744.3559(4)

Jan 31, 2025 1 Finding ● 1 Important

● **Maintenance Procedures for Active Play - Keep Records for 3 Months**
744.3113(d)

Mar 8, 2024 1 Finding ● 1 Critical

● **Emergency Preparedness Plan - Evacuation, Relocation, Sheltering/Lock-Down Procedures**
744.3553(1)

About this report

Childery generates this report from public inspection records published by the Texas Health and Human Services Commission. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Texas Health and Human Services Commission.