

Chalee Moreland-Scales

13339 HACKNEY PONY
SAN ANTONIO, TX

3 Inspection Visits Since 2025 · 5 Findings

Most recent inspection: Oct 24, 2025



● 3 Critical ● 2 Important

Across 3 inspections since 2025, the issues cited most often were Personnel Records (1), Policies Comply with Rules (1), and Records Maintained and Made Available - Safety Drills Documentation (1). Of 5 total findings, 3 were critical.

Inspection Visits

Oct 24, 2025 2 Findings ● 1 Critical ● 1 Important

● **Policies Comply with Rules**
747.207(1)

● **Personnel Records**
747.901

Oct 17, 2025 2 Findings ● 1 Critical ● 1 Important

● **Animals at Center - Documentation of Vaccinations**
747.3703(a)

● **Records Maintained and Made Available - Safety Drills Documentation**
747.801(7)

Oct 15, 2025 1 Finding ● 1 Critical

● **Must Have at Least One 3A-40BC Dry Chemical Fire Extinguisher or Fire Extinguisher Approved by Fire Marshal**
747.5103

About this report

Childery generates this report from public inspection records published by the Texas Health and Human Services Commission. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Texas Health and Human Services Commission.