

First Methodist Preschool

420 WALNUT ST
TEAGUE, TX

4 Inspection Visits Since 2025 · 5 Findings

Most recent inspection: Dec 19, 2025



● 2 Critical ● 3 Important

Across 4 inspections since 2025, the issues cited most often were Installation and Maintenance of Loose-fill Surfacing - Six Inches if Equipment 5 Ft or Less (1), Measurement of Use Zone for Stationary Equipment (1), and Required Personnel Records- Meets Requirements (1). Of 5 total findings, 2 were critical.

Inspection Visits

Dec 19, 2025 1 Finding ● 1 Critical

- **Installation and Maintenance of Loose-fill Surfacing - Six Inches if Equipment 5 Ft or Less**
746.4907(a)(1)

Dec 12, 2025 1 Finding ● 1 Important

- **Measurement of Use Zone for Stationary Equipment**
746.4803

Nov 26, 2025 2 Findings ● 1 Critical ● 1 Important

- **Policies Comply with Rules**
746.201(1)
- **Required Personnel Records- Meets Requirements**
746.901(2)

Nov 12, 2025 1 Finding ● 1 Important

- **Medication No Longer Used**
746.3809

About this report

Childery generates this report from public inspection records published by the Texas Health and Human Services Commission. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Texas Health and Human Services Commission.