

Jensen Drive Head Start

2702 ALDINE WESTFIELD RD
HOUSTON, TX

4 Inspection Visits Since 2024 - 5 Findings

Most recent inspection: Feb 3, 2026



● 3 Critical ● 2 Important

Across 4 inspections since 2024, the issues cited most often were Electronic or Battery-Operated Carbon Monoxide Detector-Check All Detectors Monthly (1), Written Feeding Instructions - Review and Update Every 30 Days (1), and Children Not Required to Sleep - May Not Force Child to Sleep (1). Of 5 total findings, 3 were critical.

Inspection Visits

Feb 3, 2026 1 Finding ● 1 Critical

- **Electronic or Battery-Operated Carbon Monoxide Detector-Check All Detectors Monthly**
746.5537(a)(2)

Feb 14, 2025 1 Finding ● 1 Important

- **Written Feeding Instructions - Review and Update Every 30 Days**
746.2421(b)

Nov 19, 2024 1 Finding ● 1 Important

- **Children Not Required to Sleep - May Not Force Child to Sleep**
746.2905(1)

Apr 4, 2024 2 Findings ● 2 Critical

- **Responsibilities of Employees and Caregivers -Demonstrate Competency, Good Judgment, Self-control**
746.1201(1)
- **Prohibited Punishments - Humiliating, Rejecting, Yelling**
746.2805(5)

About this report

Childery generates this report from public inspection records published by the Texas Health and Human Services Commission. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Texas Health and Human Services Commission.