

RSLA, INC

4429 WALZEM RD
SAN ANTONIO, TX

4 Inspection Visits Since 2024 · 5 Findings

Most recent inspection: Dec 31, 2025

● 5 Critical

Across 4 inspections since 2024, the issues cited most often were Training Requirements for Employees, Caregivers, and Directors - Pediatric First Aid with Rescue Breathing (1), Electronic Child Safety Alarm - Installed and Maintained According to Manufacturer's Instructions (1), and Each Caregiver and the Director Must Have Current Training in Pediatric First Aid with Rescue Breathing and Choking. (1). Of 5 total findings, 5 were critical.

Inspection Visits

Dec 31, 2025 1 Finding ● 1 Critical

● **Training Requirements for Employees, Caregivers, and Directors - Pediatric First Aid with Rescue Breathing**

746.1301(a)(3)(A)

Dec 31, 2024 1 Finding ● 1 Critical

● **Electronic Child Safety Alarm - Installed and Maintained According to Manufacturer's Instructions**

746.5625(b)

Dec 20, 2024 2 Findings ● 2 Critical

● **Each Caregiver and the Director Must Have Current Training in Pediatric First Aid with Rescue Breathing and Choking.**

746.1315(a)

● **Annual Fire Inspection - Before Initial Permit Issued and Every 12 Months**

746.5101(a)

Nov 12, 2024 1 Finding ● 1 Critical

About this report

Childery generates this report from public inspection records published by the Texas Health and Human Services Commission. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Texas Health and Human Services Commission.

- **Required Equipment in Vehicles - List of Children**
746.5617(a)(1)

About this report

Childery generates this report from public inspection records published by the Texas Health and Human Services Commission. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Texas Health and Human Services Commission.