

Kepler Stem School

508 MUNICIPAL DR
LEANDER, TX

2 Inspection Visits Since 2026 · 5 Findings

Most recent inspection: May 11, 2026

● 5 Critical

Across 2 inspections since 2026, the issues cited most often were Garbage Inaccessible to Children; Maintained in Sanitary Manner (2), Supervision Ensures Each Child?s Safety, Well-being, Including Physical Proximity and Auditory or Visual Awareness of Each Child?s on Going Activity (2), and Parental Communication - Situation That Placed a Child at Risk (1). Of 5 total findings, 5 were critical.

Inspection Visits

May 11, 2026 3 Findings ● 3 Critical

● **Supervision Ensures Each Child?s Safety, Well-being, Including Physical Proximity and Auditory or Visual Awareness of Each Child?s on Going Activity**

746.1205(a)(4)

● **Sanitize Potty-Chairs**

746.3407(5)

● **Garbage Inaccessible to Children; Maintained in Sanitary Manner**

746.3407(8)

Feb 24, 2026 2 Findings ● 2 Critical

● **Supervision Ensures Each Child?s Safety, Well-being, Including Physical Proximity and Auditory or Visual Awareness of Each Child?s on Going Activity**

746.1205(a)(4)

● **Parental Communication - Situation That Placed a Child at Risk**

746.307(b)(4)

About this report

Childery generates this report from public inspection records published by the Texas Health and Human Services Commission. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Texas Health and Human Services Commission.