

Lollipop Junction

210 N MAIN
STRATFORD, TX

4 Inspection Visits Since 2025 · 5 Findings

Most recent inspection: Jan 12, 2026



● 3 Critical ● 2 Important

Across 4 inspections since 2025, the issues cited most often were Annual Fire Inspection - Before Initial Permit Issued and Every 12 Months (1), Training Requirements for Employees, Caregivers, and Directors - Pediatric First Aid with Rescue Breathing (1), and Children's Products- Annual Certification (1). Of 5 total findings, 3 were critical.

Inspection Visits

Jan 12, 2026 2 Findings ● 2 Critical

● **Training Requirements for Employees, Caregivers, and Directors - Pediatric First Aid with Rescue Breathing**
746.1301(a)(3)(A)

● **Annual Fire Inspection - Before Initial Permit Issued and Every 12 Months**
746.5101(a)

Dec 29, 2025 1 Finding ● 1 Important

● **Children's Products- Annual Certification**
746.4135(b)

Sep 8, 2025 1 Finding ● 1 Important

● **Documented Annual Training Area - 24 Hours Required**
746.1309(a)

Jun 3, 2025 1 Finding ● 1 Critical

● **Installation and Maintenance of Loose-fill Surfacing - Six Inches if Equipment 5 Ft or Less**
746.4907(a)(1)

About this report

Childery generates this report from public inspection records published by the Texas Health and Human Services Commission. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Texas Health and Human Services Commission.

About this report

Childery generates this report from public inspection records published by the Texas Health and Human Services Commission. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Texas Health and Human Services Commission.