

AlphaBEST @ Daniel - Northwest

1907 TYE ST.
NORTHLAKE, TX

2 Inspection Visits Since 2026 · 5 Findings

Most recent inspection: Jan 29, 2026



● 3 Critical ● 2 Important

Across 2 inspections since 2026, the issues cited most often were Each Caregiver, Operation Director, Program Director, and Site Director Pediatric CPR (2), Documented Annual Training-Required Topics in Health and Safety (1), and Maintenance Procedures for Active Play - Monthly Maintenance Checklist (1). Of 5 total findings, 3 were critical.

Inspection Visits

Jan 29, 2026 4 Findings ● 2 Critical ● 2 Important

● **Training Requirements for Employees - Pre-Service**

744.1301(a)(2)(A)

● **Each Caregiver, Operation Director, Program Director, and Site Director Pediatric CPR**

744.1315(b)

● **Documented Annual Training-Required Topics in Health and Safety**

744.1309(d)

● **Maintenance Procedures for Active Play - Monthly Maintenance Checklist**

744.3113(b)

Jan 5, 2026 1 Finding ● 1 Critical

● **Each Caregiver, Operation Director, Program Director, and Site Director Pediatric CPR**

744.1315(b)

About this report

Childery generates this report from public inspection records published by the Texas Health and Human Services Commission. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Texas Health and Human Services Commission.