

Marlin Headstart Center EOAC

HWY 6 FM 147

MARLIN, TX

4 Inspection Visits Since 2026 · 5 Findings

Most recent inspection: Mar 11, 2026



● 2 Critical ● 3 Important

Across 4 inspections since 2026, the issues cited most often were Installation and Maintenance of Loose-fill Surfacing - Proper Depth Maintained (1), Children's Records Maintained (1), and Required Personnel Records (1). Of 5 total findings, 2 were critical.

Inspection Visits

Mar 11, 2026 2 Findings ● 1 Critical ● 1 Important

● **Installation and Maintenance of Loose-fill Surfacing - Proper Depth Maintained**

746.4907(d)

● **Children's Records Maintained**

746.603(a)

Mar 4, 2026 1 Finding ● 1 Important

● **Required Personnel Records**

746.901

Mar 3, 2026 1 Finding ● 1 Critical

● **Child/Caregiver Ratio - 18 Months Difference in Age**

746.1605(1)

Feb 27, 2026 1 Finding ● 1 Important

● **Cots, Beds, Mats Labeled With Child's Name**

746.4503(b)

About this report

Childery generates this report from public inspection records published by the Texas Health and Human Services Commission. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Texas Health and Human Services Commission.