

My Family Childcare Guarderia

4810 BILLINGSLEY BLVD
MIDLAND, TX

3 Inspection Visits Since 2024 · 5 Findings

Most recent inspection: Jul 31, 2024



● 4 Critical ● 1 Important

Across 3 inspections since 2024, the issues cited most often were Requirement of Gas Leak Inspection (1), Annual Sanitation Inspection (1), and Posting Requirements - Prominent & Public (1). Of 5 total findings, 4 were critical.

Inspection Visits

Jul 31, 2024 2 Findings ● 2 Critical

● **Annual Sanitation Inspection**

746.3401(a)

● **Requirement of Gas Leak Inspection**

746.5401

Jun 6, 2024 1 Finding ● 1 Important

● **Posting Requirements - Prominent & Public**

746.403(a)

May 29, 2024 2 Findings ● 2 Critical

● **AP Cribs - Only Snug Fitting Sheet and Crib Mattress Cover Allowed if Infant Younger Than 12 Months of Age**

746.2415(b)

● **Prohibited Punishments - Restrictive Device for Time Out**

746.2805(8)

About this report

Childery generates this report from public inspection records published by the Texas Health and Human Services Commission. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Texas Health and Human Services Commission.