

Schertz 1st Baptist Preschool

600 AERO AVE
SCHERTZ, TX

3 Inspection Visits Since 2024 · 4 Findings

Most recent inspection: May 8, 2026

● 4 Critical

Across 3 inspections since 2024, the issues cited most often were Inspect Fire Extinguishers Monthly (1), Emergency Evacuation and Relocation Diagram - Posted in Each Room (1), and AP Background Check Results - Must Receive Notification Prior to Allowing Subject to Be Present at Your Operation (1). Of 4 total findings, 4 were critical.

Inspection Visits

May 8, 2026 1 Finding ● 1 Critical

● **Inspect Fire Extinguishers Monthly**
746.5307(a)

May 5, 2026 1 Finding ● 1 Critical

● **Emergency Evacuation and Relocation Diagram - Posted in Each Room**
746.5207(b)

May 21, 2024 2 Findings ● 2 Critical

● **AP Background Check Results - Must Receive Notification Prior to Allowing Subject to Be Present at Your Operation**
745.641

● **Administering Medication - Not After Expiration Date**
746.3805(b)(3)

About this report

Childery generates this report from public inspection records published by the Texas Health and Human Services Commission. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Texas Health and Human Services Commission.