

MyLe Nguyen
27215 SONATA CREEK LN
CYPRESS, TX

2 Inspection Visits Since 2025 · 5 Findings

Most recent inspection: Nov 6, 2025



● 3 Critical ● 2 Important

Across 2 inspections since 2025, the issues cited most often were Food Allergy Emergency Plan Signed by Parents and Health Care Professional (2), Children's Records - Admission Information (1), and CO Detection System Type-Individual (UL) Listed Plug In, Hardwire, Battery (1). Of 5 total findings, 3 were critical.

Inspection Visits

Nov 6, 2025 2 Findings ● 2 Critical

● **Food Allergy Emergency Plan Signed by Parents and Health Care Professional**
747.3619

● **Food Allergy Emergency Plan Signed by Parents and Health Care Professional**
747.3619

Oct 31, 2025 3 Findings ● 1 Critical ● 2 Important

● **CO Detection System Type-Individual (UL) Listed Plug In, Hardwire, Battery**
747.5333(1)

● **Children's Records - Admission Information**
747.603(a)(2)

● **Records Maintained and Made Available - Safety Drills Documentation**
747.801(7)

About this report

Childery generates this report from public inspection records published by the Texas Health and Human Services Commission. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Texas Health and Human Services Commission.