

Bethany School

10010 ANDERSON MILL RD
AUSTIN, TX

3 Inspection Visits Since 2025 · 5 Findings

Most recent inspection: Feb 11, 2026



● 4 Critical ● 1 Important

Across 3 inspections since 2025, the issues cited most often were AP Background Check Results - Must Receive Notification Prior to Allowing Subject to Be Present at Your Operation (1), Installation and Maintenance of Loose-fill Surfacing - Proper Depth Maintained (1), and Food Allergy Emergency Plan Signed by Parents and Health Care Professional (1). Of 5 total findings, 4 were critical.

Inspection Visits

Feb 11, 2026 1 Finding ● 1 Critical

- **AP Background Check Results - Must Receive Notification Prior to Allowing Subject to Be Present at Your Operation**

745.641

Apr 4, 2025 1 Finding ● 1 Critical

- **Installation and Maintenance of Loose-fill Surfacing - Proper Depth Maintained**

746.4907(d)

Mar 25, 2025 3 Findings ● 2 Critical ● 1 Important

- **Medication Authorization - Signed and Dated**

746.3803(a)(1)

- **Food Allergy Emergency Plan Signed by Parents and Health Care Professional**

746.3819

- **Medication No Longer Used**

746.3809

About this report

Childery generates this report from public inspection records published by the Texas Health and Human Services Commission. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Texas Health and Human Services Commission.