

## Pinnacle Montessori

111 EXETER PLACE DR  
SAN ANTONIO, TX

### 5 Inspection Visits Since 2026 · 5 Findings

Most recent inspection: Jun 12, 2026

● 5 Critical

Across 5 inspections since 2026, the issues cited most often were Annual Fire Inspection - Before Initial Permit Issued and Every 12 Months (2), Annual Sanitation Inspection (1), and Fire Extinguishers Serviced (1). Of 5 total findings, 5 were critical.

### Inspection Visits

**Jun 12, 2026** 1 Finding ● 1 Critical

● **Annual Fire Inspection - Before Initial Permit Issued and Every 12 Months**  
746.5101(a)

**Apr 23, 2026** 1 Finding ● 1 Critical

● **Annual Sanitation Inspection**  
746.3401(a)

**Mar 31, 2026** 1 Finding ● 1 Critical

● **Fire Extinguishers Serviced**  
746.5307(b)

**Mar 13, 2026** 1 Finding ● 1 Critical

● **Annual Fire Inspection - Before Initial Permit Issued and Every 12 Months**  
746.5101(a)

**Feb 5, 2026** 1 Finding ● 1 Critical

#### About this report

Childery generates this report from public inspection records published by the Texas Health and Human Services Commission. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Texas Health and Human Services Commission.

- **Maintenance of Building, Grounds and Equipment**  
746.3407

#### About this report

Childery generates this report from public inspection records published by the Texas Health and Human Services Commission. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Texas Health and Human Services Commission.