

Trinity Christian Pre-School

2060 F M 79
PARIS, TX

3 Inspection Visits Since 2025 · 3 Findings

Most recent inspection: Aug 8, 2025

● 3 Critical

Across 3 inspections since 2025, the issues cited most often were Diaper Changing Equipment - If Above Floor Level Must Keep Hand on Child (1), Supervision Ensures Each Child?s Safety, Well-being, Including Physical Proximity and Auditory or Visual Awareness of Each Child?s on Going Activity (1), and Mark Cleaning Supplies, Toxic Materials; Keep Separate From Food and Inaccessible to Children (1). Of 3 total findings, 3 were critical.

Inspection Visits

Aug 8, 2025 1 Finding ● 1 Critical

● **Diaper Changing Equipment - If Above Floor Level Must Keep Hand on Child**
746.3503(c)(2)

Mar 10, 2025 1 Finding ● 1 Critical

● **Supervision Ensures Each Child?s Safety, Well-being, Including Physical Proximity and Auditory or Visual Awareness of Each Child?s on Going Activity**
746.1205(a)(4)

Feb 4, 2025 1 Finding ● 1 Critical

● **Mark Cleaning Supplies, Toxic Materials; Keep Separate From Food and Inaccessible to Children**
746.3407(12)

About this report

Childery generates this report from public inspection records published by the Texas Health and Human Services Commission. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Texas Health and Human Services Commission.