

Purposeful Learning Center

1504 CESSNA DR
EL PASO, TX

3 Inspection Visits Since 2025 · 3 Findings

Most recent inspection: Dec 15, 2025



● 1 Critical ● 2 Important

Across 3 inspections since 2025, the issues cited most often were Electronic CO Detection Sys Connected to Alarm/Smoke Detection Sys-Tested Annually by Company or State or Local Fire Marshal (1), Child/ Caregiver Ratio - 13 or More Children (1), and Children's Records - Health Statement (1). Of 3 total findings, 1 was critical.

Inspection Visits

Dec 15, 2025 1 Finding ● 1 Important

- **Electronic CO Detection Sys Connected to Alarm/Smoke Detection Sys-Tested Annually by Company or State or Local Fire Marshal**
746.5537(b)(1)

Nov 24, 2025 1 Finding ● 1 Critical

- **Child/ Caregiver Ratio - 13 or More Children**
746.1601

May 16, 2025 1 Finding ● 1 Important

- **Children's Records - Health Statement**
746.603(a)(3)

About this report

Childery generates this report from public inspection records published by the Texas Health and Human Services Commission. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Texas Health and Human Services Commission.