

Park Headstart Center

1202 W AVENUE B
COPPERAS COVE, TX

4 Inspection Visits Since 2024 · 4 Findings

Most recent inspection: Jan 22, 2026



● 3 Critical ● 1 Important

Across 4 inspections since 2024, the issues cited most often were Annual Fire Inspection - Conducted by Fire Marshal (2), Prohibited Punishments - No Harsh, Cruel or Unusual (1), and Children's Products- Annual Certification (1). Of 4 total findings, 3 were critical.

Inspection Visits

Jan 22, 2026 1 Finding ● 1 Critical

- **Annual Fire Inspection - Conducted by Fire Marshal**
746.5101(b)

Mar 20, 2024 1 Finding ● 1 Critical

- **Prohibited Punishments - No Harsh, Cruel or Unusual**
746.2805

Feb 22, 2024 1 Finding ● 1 Critical

- **Annual Fire Inspection - Conducted by Fire Marshal**
746.5101(b)

Feb 8, 2024 1 Finding ● 1 Important

- **Children's Products- Annual Certification**
746.4135(b)

About this report

Childery generates this report from public inspection records published by the Texas Health and Human Services Commission. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Texas Health and Human Services Commission.