


Glenwood Private School

912 W LEWIS ST
CONROE, TX

4 Inspection Visits Since 2024 · 5 Findings

Most recent inspection: Aug 30, 2025



● 4 Critical ● 1 Administrative

Across 4 inspections since 2024, the issues cited most often were AP Background Check Results - Must Receive Notification Prior to Allowing Subject to Be Present at Your Operation (1), Electronic or Battery-Operated Carbon Monoxide Detector-Check All Detectors Monthly (1), and Fire Drill Monthly - Exit in 3 Minutes (1). Of 5 total findings, 4 were critical.

Inspection Visits

Aug 30, 2025 1 Finding ● 1 Critical

- **AP Background Check Results - Must Receive Notification Prior to Allowing Subject to Be Present at Your Operation**
745.641

Aug 26, 2025 2 Findings ● 2 Critical

- **Fire Drill Monthly - Exit in 3 Minutes**
746.5205(1)

- **Electronic or Battery-Operated Carbon Monoxide Detector-Check All Detectors Monthly**
746.5537(a)(2)

Jan 24, 2025 1 Finding ● 1 Administrative

- **Report Number of Employees**
746.303(b)

Sep 20, 2024 1 Finding ● 1 Critical

About this report

Childery generates this report from public inspection records published by the Texas Health and Human Services Commission. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Texas Health and Human Services Commission.

- **Annual Fire Inspection - Before Initial Permit Issued and Every 12 Months**
746.5101(a)

About this report

Childery generates this report from public inspection records published by the Texas Health and Human Services Commission. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Texas Health and Human Services Commission.