

Bethel Early Learning Center

11211 E NORTHWEST HWY
DALLAS, TX

4 Inspection Visits Since 2025 · 5 Findings

Most recent inspection: Jan 5, 2026



● 2 Critical ● 3 Important

Across 4 inspections since 2025, the issues cited most often were Required Documentation for Unitary Surfacing Materials (2), Administering Medication - Not After Expiration Date (1), and Measurement of Use Zone for Stationary Equipment (1). Of 5 total findings, 2 were critical.

Inspection Visits

Jan 5, 2026 1 Finding ● 1 Critical

- **Administering Medication - Not After Expiration Date**
746.3805(b)(3)

Mar 19, 2025 1 Finding ● 1 Important

- **Required Documentation for Unitary Surfacing Materials**
746.4913

Mar 3, 2025 2 Findings ● 2 Important

- **Measurement of Use Zone for Stationary Equipment**
746.4803
- **Required Documentation for Unitary Surfacing Materials**
746.4913

Feb 3, 2025 1 Finding ● 1 Critical

- **Mark Cleaning Supplies, Toxic Materials; Keep Separate From Food and Inaccessible to Children**
746.3407(12)

About this report

Childery generates this report from public inspection records published by the Texas Health and Human Services Commission. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Texas Health and Human Services Commission.